




LBP-XELL

YOUR MODULAR LITHIUM POWER



POWER WHEREVER YOU WANT

INTRODUCTION:

The LBP-Xell is a Lithium battery block which can be connected in different ways to generate the system voltage or capacity you need, to power your application.



TECHNICAL DATA:

- **VOLTAGE:** 3.6 V
- **CAPACITY:** 171 Ah
- **ENERGY:** 616 Wh
- **POWER:** cont. 450 W, peak. 10000 W/20 s
- **DIMENSIONS:** 170mm x 212mm x 81mm (2.9 liter)
- **WEIGHT:** 3.7 kg (8 lbs)
- **SPECIALS:**
 - » internal fuse
 - » integrated temperature sensor for BMS

YOUR ADVANTAGES:

- Modern Li-Ion technology (NMC)
- Suits your application
- Many configurations possible
- Cost efficient against LiFePO4

EXAMPLE CONFIGURATION:

Four LBP-Xell modules connected in series e.g. 4s1p 14.4V/171 Ah.



ACCESSOIRES:

- Copper connectors for electronical connection of the modules
- Dove tail connectors for mechanical connection of the modules
- NTC connections and cables

POSSIBLE SYSTEM REQUIREMENTS:

This requirements can be optional depending on your system.

- Central BMS for single cell monitoring, cell temperature & gauging
- Main fuse
- Main relay's

APPLICATIONS:



SBS PERFORMANCE:

- BATTERY SYSTEMS
- PRODUCTION
- DEVELOPMENT
- CELLS
- CONSTRUCTION
- CHARGER
- CONSULTING
- WORKFLOW



Smart Battery Solutions GmbH
Lindigstraße 8a
63801 Kleinostheim

Fon 0 60 27 - 99 08 130
smart-battery-solutions.de

YOUR SLIDE-IN SOLUTION.

ABOUT US

We coordinate all phases of the project for your success. Various departments are involved which focus on construction, project management, hardware and software. Design, toughness and functionality merge at the highest level - „Made in Germany“.

Through our efforts to continuously improve our processes, we have been able to establish production facilities, tools and processes, which will leave no open questions concerning efficiency and effectiveness.

PERFORMANCES:

- BATTERYSYSTEMS
- PRODUCTION
- DEVELOPMENT
- CELLS
- CONSTRUCTION
- CHARGER
- CONSULTING
- WORKFLOW



Smart Battery Solutions GmbH
Lindigstraße 8a
63801 Kleinostheim

Fon 0 60 27 - 99 08 130
smart-battery-solutions.de